

State of North Dakota)
)ss
County of Burleigh)

I, Edward Aamold, do hereby certify that I am a duly-appointed Director of the Crime Laboratory Division for the State of North Dakota and an official custodian of the records and files of the office thereof, that I have carefully compared the

MEMO REGARDING DESIGNEE OF THE STATE CRIME LABORATORY DIRECTOR

hereto attached with the respective original as the same appears of record on file in the Office of Attorney General, Crime Laboratory Division, in the County of Burleigh, North Dakota, and find the same to be a true and correct copy thereof and of the whole thereof. In witness whereof I have set my hand at the city of Bismarck, in said county this:

1st day of August, 2016

Edward Aamold
Edward Aamold, Crime Laboratory Director


State of North Dakota)
)ss
County of Burleigh)

On this 01 day of August, 2016, before me personally appeared Edward Aamold, known to me to be the Director of the Crime Laboratory Division for the State of North Dakota, and acknowledged to me that he has executed the same.

Subscribed to and sworn before me on this:

01 day of August, 2016

Stacie L. Fleck-Merkel
Stacie L. Fleck-Merkel
Notary Public, State of North Dakota
My Commission Expires August 16, 2017



Notary seal/stamp



Wayne Stenehjem
ATTORNEY GENERAL

STATE OF NORTH DAKOTA
OFFICE OF ATTORNEY GENERAL

STATE CAPITOL
600 E BOULEVARD AVE DEPT 125
BISMARCK, ND 58505-0040
(701) 328-2210 FAX (701) 328-2226
www.ag.nd.gov

Crime Laboratory Division
2641 East Main Avenue
P.O. Box 937
Bismarck, ND 58502-0937
Tel. (701) 328-6159
Fax (701) 328-6185

August 1, 2016

To Whom It May Concern:

In accordance with N.D.C.C. ch. 19-01, 19-03.1, 20.1-13.1, 20.1-15, 39-06.2, 39-20 or 39-24.1, I appoint Charles E. Eder, State Toxicologist, as a designee of the Director of the North Dakota Office of attorney General, Crime Laboratory Division, and authorize Charles E. Eder for biological alcohol and drug screening analysis to approve chemical analysis methods, devices, and individuals to conduct chemical analysis; determine the qualifications or credentials for being medically qualified to draw blood; issue lists of approved designations and devices; and sign and certify records of the North Dakota Office of Attorney General, Crime Laboratory Division.

In accordance with N.D.C.C. ch. 20.1-13.1, 20.1-15, 39-06.2, 39-20 or 39-24.1, I appoint Charles E. Eder, State Toxicologist, as a designee of the Director of the North Dakota Office of Attorney General, Crime Laboratory Division, and authorize Charles E. Eder for the breath alcohol testing program to approve personnel, chemical analysis methods and devices; train, certify and supervise chemical test operators; appoint, train, certify and supervise field inspectors for the breath testing equipment and its operation; issue lists of approved designations and devices; and sign and certify records of the North Dakota Office of Attorney General, Crime Laboratory Division.

A handwritten signature in black ink, appearing to read "Edward Aamold".

Edward Aamold, Director
North Dakota Office of Attorney General
Crime Laboratory Division