

State of North Dakota     )  
  )ss  
County of Burleigh         )

I, Deb Kashur, do hereby certify that I am a duly-appointed Forensic Scientist II for the State of North Dakota and an official custodian of the records and files of the office thereof, that I have carefully compared the

**LIST OF APPROVED CHEMICAL TESTING DEVICES, SECOND SUPPLEMENT TO JULY 1, 2013 (10-01-13)**

hereto attached with the respective original as the same appears of record on file in the Office of Attorney General, Crime Laboratory Division, in the County of Burleigh, North Dakota, and find the same to be a true and correct copy thereof and of the whole thereof. In witness whereof I have set my hand at the city of Bismarck, in said county this:

01 day of October, 2013

Deb Kashur  
Deb Kashur, Forensic Scientist II


State of North Dakota     )  
  )ss  
County of Burleigh         )

On this 01 day of October, 2013, before me personally appeared Deb Kashur, known to me to be a Forensic Scientist II for the State of North Dakota, and acknowledged to me that she has executed the same.

Subscribed to and sworn before me this:

01 day of October, 2013

Cindy Leingang  
Cindy Leingang, Notary Public, State of North Dakota  
My Commission Expires January 11, 2017



(SEAL)



10/01/2013

**LIST OF APPROVED CHEMICAL TESTING DEVICES**

**Second Supplement to July 1, 2013**

Each of the following Intoxilyzers®\*\* has been inspected on the date indicated below by a Field Inspector appointed, trained, certified, and supervised by the State Toxicologist and has been found to be in good working order by such inspector; and is therefore approved by the State Toxicologist as a device for the analysis of breath to determine alcohol concentration, in accordance with Section 20.1-13.1, 20.1-15, 39-06.2, 39-20, and/or 39-24.1 of the North Dakota Century Code:

<u>Serial Number</u>	<u>Instrument</u>	<u>Date Inspected</u>	<u>Location of Inspection+</u>
80-003069	Intoxilyzer® 8000	09/26/13	Office of Attorney General, Crime Laboratory
80-005357	Intoxilyzer® 8000	09/26/13	Office of Attorney General, Crime Laboratory
80-005937	Intoxilyzer® 8000	09/20/13	Office of Attorney General, Crime Laboratory
80-005939	Intoxilyzer® 8000	09/19/13	Office of Attorney General, Crime Laboratory
80-005940	Intoxilyzer® 8000	09/19/13	Office of Attorney General, Crime Laboratory
80-005941	Intoxilyzer® 8000	09/13/13	Office of Attorney General, Crime Laboratory
80-005942	Intoxilyzer® 8000	09/12/13	Office of Attorney General, Crime Laboratory
80-005943	Intoxilyzer® 8000	09/17/13	Office of Attorney General, Crime Laboratory
80-005944	Intoxilyzer® 8000	09/13/13	Office of Attorney General, Crime Laboratory
80-005945	Intoxilyzer® 8000	09/13/13	Office of Attorney General, Crime Laboratory
80-005947	Intoxilyzer® 8000	09/19/13	Office of Attorney General, Crime Laboratory
80-005948	Intoxilyzer® 8000	09/11/13	Office of Attorney General, Crime Laboratory
80-005949	Intoxilyzer® 8000	09/12/13	Office of Attorney General, Crime Laboratory
80-005950	Intoxilyzer® 8000	09/12/13	Office of Attorney General, Crime Laboratory
80-005951	Intoxilyzer® 8000	09/18/13	Office of Attorney General, Crime Laboratory
80-005952	Intoxilyzer® 8000	09/19/13	Office of Attorney General, Crime Laboratory
80-005953	Intoxilyzer® 8000	09/20/13	Office of Attorney General, Crime Laboratory
80-005954	Intoxilyzer® 8000	09/11/13	Office of Attorney General, Crime Laboratory
80-005955	Intoxilyzer® 8000	09/19/13	Office of Attorney General, Crime Laboratory
80-005956	Intoxilyzer® 8000	09/12/13	Office of Attorney General, Crime Laboratory
80-005957	Intoxilyzer® 8000	09/11/13	Office of Attorney General, Crime Laboratory
80-005958	Intoxilyzer® 8000	09/11/13	Office of Attorney General, Crime Laboratory

+Indicates the location of the device at the time of inspection and does not restrict its use at other locations.

\*\*Intoxilyzer® is a registered trademark of the breath alcohol testing devices originally manufactured by Federal Signal Corp., CMI, Inc., Minturn, CO, and at present by CMI, Inc., Owensboro, KY.

This roster is current and shall be in effect until a new roster is issued or until June 30, 2014, whichever is earlier.

*Deb Kashner*  
*01 Oct 2013*