

State of North Dakota)
)ss
County of Burleigh)

I, Margaret A. Pearson, do hereby certify that I am a duly-appointed State Toxicologist for the State of North Dakota and an official custodian of the records and files of the office thereof, that I have carefully compared the

LIST OF CERTIFIED CHEMICAL TEST OPERATORS, SEVENTH SUPPLEMENT TO JULY 1, 2010 (FEBRUARY 1, 2011)

hereto attached with the respective original as the same appears of record on file in the Office of Attorney General, Crime Laboratory Division, in the County of Burleigh, North Dakota, and find the same to be a true and correct copy thereof and of the whole thereof. In witness whereof I have set my hand at the city of Bismarck, in said county this:

_____ 1 _____ day of February, _____ 2011 _____


Margaret A. Pearson
Margaret A. Pearson, State Toxicologist

State of North Dakota)
)ss
County of Burleigh)

On this _____ 1 _____ day of February, _____ 2011 _____, before me personally appeared Margaret A. Pearson, known to me to be a State Toxicologist for the State of North Dakota, and acknowledged to me that he/she has executed the same.

Subscribed to and sworn before me this:

_____ 1 _____ day of February, _____ 2011 _____



Cindy Leingang
Cindy Leingang, Notary Public, State of North Dakota
My Commission Expires January 11, 2017

(SEAL)



OFFICE OF ATTORNEY GENERAL

Crime Laboratory Division
2641 East Main Avenue (58501)
P.O. Box 937
Bismarck, North Dakota 58502-0937

TEL 701-328-6159
TEL 800-296-2054
FAX 701-328-6185

02/01/11

**LIST OF CERTIFIED CHEMICAL TEST OPERATORS
Seventh Supplement to July 1, 2010**

The following individuals have been trained and certified to conduct the analysis of breath to determine alcohol concentrations, pursuant to sections 20.1-13.1-10, 20.1-15-11, 20.1-15-15, 39-20-07, 39-20-14, and/or 39-24.1-08 of the North Dakota Century Code:

<u>Last Name</u>	<u>First Name</u>	<u>Agency Location</u>	<u>Class Code</u>	<u>Initial Certification</u>	<u>Recertification Training</u>	<u>Certification Expiration</u>
Althoff	Hunter	Grand Forks Co Corr Ctr	7	10-17-09	12-30-10	06-30-12
Bernier	Thomas L.	Pembina Co SO	7,8	10-12-10	01-27-11	06-30-12
Butman	John M.	McLean Co SO	7	12-28-10	12-28-10	06-30-12
Carney	Richard D.	Belfield PD	7,8	10-16-01	01-27-11	06-30-12
Dyk	Ryan B.	Dunn Co SO	7	01-24-11	01-24-11	06-30-12
Eaton	Brian	Hettinger Co SO	7	01-13-11	01-13-11	06-30-12
Engelbrecht	Tam	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Erickson	Jacob S.	Fargo PD	7	01-14-11	01-14-11	06-30-12
Evanson	Tammy J.	McKenzie Co SO	7	07-14-97	01-13-11	06-30-12
Hart	Samantha	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Hollenbeck	Richard E.	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Janssen	Brenda K.	Renville Co SO	8	01-27-11	01-27-11	06-30-12
Jepson	Carol F.	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Johnson	Derek A.	Fargo PD	7,8	06-24-09	01-27-11	06-30-12
Joyce	Sarah L.	Fargo PD	8	01-27-11	01-27-11	06-30-12
Monson	Josh	Hettinger Co SO	7	01-13-11	01-13-11	06-30-12
Nottestad	Debbie	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Otterness	Mark K.	Bismarck PD	7,8	11-10-10	01-27-11	06-30-12
Petersen	James W.	Dickinson PD	5,7	03-12-08	12-23-10	06-30-12
Schumann	Benjamin	Dickinson PD	7	06-09-08	01-05-11	06-30-12
Schwartzenberger	Lois	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Sovig	Nadine G.	McKenzie Co SO	7	01-13-11	01-13-11	06-30-12
Trahan	William C.	BIA-Bismarck	7	12-28-10	12-28-10	06-30-12
Weisenburger	Brant A.	Benson Co SO	7	01-27-11	01-27-11	06-30-12

The following are Office of Attorney General, Crime Laboratory Division, staff trained as Field Inspectors to repair/inspect instruments. The date of certification expiration for these individuals shall be the last date of their employment in the Office of Attorney General, Crime Laboratory Division.

<u>Name:</u>	<u>Agency:</u>	<u>Initial Certification:</u>
Kashur, Deborah	Ofc. of Attorney General, Crime Lab Division	February 2006
Pearson, Margaret	Ofc. of Attorney General, Crime Lab Division	October 1975

Operator Class Codes as of July 1, 2010:

- Class 5: Trained/Certified to Operate the Intoxilyzer® S-D2 (**Certified Device Until 06-30-11**)
- Class 7: Trained/Certified to Operate the Intoxilyzer® S-D5
- Class 8: Trained/Certified to Operate the Intoxilyzer® 8000
- Class F: Trained/Certified as a Field Inspector

Margaret A. Pearson
17 February 2011

This roster is current and shall be considered as such until a new roster is issued or until June 30, 2011, whichever is earlier.